

LITERATURE REVIEW

The Top 100 Classic Papers in Lumbar Spine Surgery

Jeremy Steinberger, MD,* Branko Skovrlj, MD,* John M. Caridi, MD,* and Samuel K. Cho, MD†

Study Design. Bibliometric review of the literature.**Objective.** To analyze and quantify the most frequently cited papers in lumbar spine surgery and to measure their impact on the entire lumbar spine literature.**Summary of Background Data.** Lumbar spine surgery is a dynamic and complex field. Basic science and clinical research remain paramount in understanding and advancing the field. While new literature is published at increasing rates, few studies make long-lasting impacts.**Methods.** The Thomson Reuters Web of Knowledge was searched for citations of all papers relevant to lumbar spine surgery. The number of citations, authorship, year of publication, journal of publication, country of publication, and institution were recorded for each paper.**Results.** The most cited paper was found to be the classic paper from 1990 by Boden *et al* that described magnetic resonance imaging findings in individuals without back pain, sciatica, and neurogenic claudication showing that spinal stenosis and herniated discs can be incidentally found when scanning patients. The second most cited study similarly showed that asymptomatic patients who underwent lumbar spine magnetic resonance imaging frequently had lumbar pathology. The third most cited paper was the 2000 publication of Fairbank and Pynsent reviewing the Oswestry Disability Index, the outcome-measure questionnaire most commonly used to evaluate low back pain. The majority of the papers originate in the United States ($n = 58$), and most were published in *Spine* ($n = 63$). Most papers were published in the 1990s ($n = 49$), and the 3 most common topics were low back pain, biomechanics, and disc degeneration.**Conclusion.** This report identifies the top 100 papers in lumbar spine surgery and acknowledges those individuals who have

contributed the most to the advancement of the study of the lumbar spine and the body of knowledge used to guide evidence-based clinical decision making in lumbar spine surgery today.

Key words: top 100, classic, most cited, lumbar spine, spine surgery.**Level of Evidence:** 3**Spine 2015;40:740-747**

Surgery for various conditions in the lumbar spine is common. Despite its prevalence, our knowledge of the underlying pathological mechanisms remains limited and the indications for surgical treatment remain controversial in many areas. Basic science and clinical research remain paramount in the understanding and advancement of the field of lumbar spine. Although new literature is published at increasing rates, few studies make long-lasting impacts on the field. This is the first study to analyze and quantify the most frequently cited papers in lumbar spine surgery and to measure their impact on the entire lumbar spine literature.

A citation is an expression that acknowledges the relevance given by the author to the work of others on a topic of interest in which the citation appears.¹ The primary goal of a citation is to credit the author of the work that has been previously published. The greater the number of citations an author has, the more influential that author becomes in his or her particular area of expertise. Citation analysis is used to determine the relative importance of medical journals by means of the impact factor, which is determined from the ratio of the number of citations in the current year to articles published in the journal in the 2 preceding years, divided by the number of citable items published in the same 2 years.²⁻⁴ The impact factor has emerged as a marker of the quality and rank of a journal.

The goal of this study was to identify the 100 most cited papers relevant to lumbar spinal surgery and published in spine-related journals through an extensive search of the literature using methods validated in other similar, previously published studies in other areas.⁵⁻⁷ In doing so, trends, controversies, successes, and novelties that have defined lumbar spine surgery can be readily identified.

MATERIALS AND METHODS

The Thomson Reuters Web of Science, a research platform that provides bibliographic database services and ranks journals

From the Departments of *Neurosurgery and †Orthopaedic Surgery, Icahn School of Medicine at Mount Sinai, New York, NY.

Acknowledgment date: October 31, 2014. First revision date: January 2, 2015. Acceptance date: January 10, 2015.

The manuscript submitted does not contain information about medical device(s)/drug(s).

No funds were received in support of this work.

Relevant financial activities outside the submitted work: consultancy, grants/grants pending.

Address correspondence and reprint requests to Samuel K. Cho, MD, Department of Orthopaedic Surgery, Icahn School of Medicine at Mount Sinai, 5 E 98th St, Box 1188, New York, NY 10029; E-mail: samuel.cho@mountsinai.org

DOI: 10.1097/BRS.0000000000000847

740 www.spinejournal.com

Copyright © 2015 Wolters Kluwer Health, Inc. Unauthorized reproduction of this article is prohibited.

May 2015

according to impact factor, was used to search for papers for this study. The subject of the search was “lumbar spine surgery,” with a year range of 1900 to 2014. The results were organized from most cited to least cited and those with implications in lumbar spine surgery were selected for the study, whether they were published in surgical or nonsurgical journals.

The 100 articles that matched the search criteria were then further analyzed, and the title, first author, journal and year of

publication, number of citations, and country and institution of origin were recorded.

RESULTS

The search yielded a total of 65,014 papers, 16,532 of which more precisely matched the search criteria. Of those, 322 were cited 100 times or more. The top 100 papers, their first author, and their corresponding number of citations are shown

TABLE 1. The Top 100 Papers in Lumbar Spine Surgery

Rank	First Author	Citations	Rank	First Author	Citations	Rank	First Author	Citations
1	Boden ⁸	1035	35	Aprill ⁴²	267	69	Wilke ⁷⁶	221
2	Jensen ⁹	971	36	Lehmann ⁴³	262	70	Boden ⁷⁷	220
3	Fairbank ¹⁰	915	37	Battie ⁴⁴	261	71	Burkus ⁷⁸	218
4	Deyo ¹¹	598	38	Cholewicki ⁴⁵	260	72	Panjabi ⁷⁹	217
5	Hodges ¹²	574	39	Deyo ⁴⁶	259	73	Weinstein ⁸⁰	216
6	Pfaffmann ¹³	566	40	Osti ⁴⁷	258	74	Shirazi-Adl ⁸¹	208
7	Modic ¹⁴	539	41	Gatchel ⁴⁸	257	75	Kirkaldy ⁸²	207
8	Roland ¹⁵	538	42	Adams ⁴⁹	256	76	Weishaupt ⁸³	204
9	Wilke ¹⁶	450	43	Burke ⁵⁰	255	77	Saal ⁸⁴	202
10	Cholesicki ¹⁷	424	44	Roy-Camille ⁵¹	254	78	Panjabi ⁸⁵	198
11	Fritzell ¹⁸	422	45	Faciszewski ⁵²	252	79	Radebold ⁸⁶	197
12	Patrick ¹⁹	421	46	Zindrick ⁵³	251	80	Fairbank ⁸⁷	196
13	Thompson ²⁰	420	47	Brox ⁵⁴	246	81	Riew ⁸⁸	195
14	O'Sullivan ²¹	404	48	Ghiselli ⁵⁵	245	82	Katz ⁸⁹	194
15	Deyo ²²	397	49	Miller ⁵⁶	242	83	Schultz ⁹⁰	193
16	Wiesel ²³	389	50	Prolo ⁵⁷	241	84	Deyo ⁹¹	192
17	Summers ²⁴	386	51	Blumenthal ⁵⁸	240	85	Van Tulder ⁹²	191
18	Hides ²⁵	370	52	Rydevik ⁵⁹	239	86	Yamamoto ⁹³	190
19	Boden ²⁶	361	53	Weinstein ⁶⁰	238	87	Dunlop ⁹⁴	189
20	Marras ²⁷	358	54	Coste ⁶¹	237	88	Hicks ⁹⁵	188
21	Turner ²⁸	349	55	Lee ⁶²	236	89	Atlas ⁹⁶	187
22	Esses ²⁹	347	56	Weinstein ⁶³	235	90	Brantigan ⁹⁷	186
23	Park ³⁰	342	57	Deyo ⁶⁴	234	91	Kirkaldy ⁹⁸	185
24	Boden ³¹	340	58	Nachemson ⁶⁵	233	92	Nicoll ⁹⁹	184
25	Weinstein ³²	337	59	Freiberger ⁶⁶	232	93	Abumi ¹⁰⁰	183
26	Belkoff ³³	326	60	Fritzell ⁶⁷	231	94	Koes ¹⁰¹	182
27	Jackson ³⁴	299	61	Bergmark ⁶⁸	230	95	Taimela ¹⁰²	181
28	Kuslich ³⁵	298	62	Schimandle ⁶⁹	229	96	Stauffer ¹⁰³	180
29	Kelsey ³⁶	288	63	Carragee ⁷⁰	228	97	Castro ¹⁰⁴	179
30	Takahashi ³⁷	285	64	Schlegel ⁷¹	227	98	Etebar ¹⁰⁵	178
31	Ray ³⁸	283	65	Schultz ⁷²	226	99	Sato ¹⁰⁶	177
32	Kuslich ³⁹	280	66	Daltroy ⁷³	225	100	Weinhoffer ¹⁰⁷	176
33	Luoma ⁴⁰	279	67	Kumar ⁷⁴	224			
34	McCormack ⁴¹	268	68	Hirsch ⁷⁵	223			

TABLE 2. Publication Dates

Decade	No. of Papers
1940s	1
1950s	0
1960s	1
1970s	2
1980s	19
1990s	49
2000s	28

in Table 1. The top paper was cited 3315 times, the 100th paper 176 times, and the mean number of citations for the top 100 papers was 293. The papers were published between 1949 and 2010. The oldest paper was by Nicoll,⁹⁹ which was published in 1949. The most recent paper was published in 2010 by Deyo *et al.*⁹¹ Seventy-six percent of the top 100 cited papers were published after 1980, with the 1990s producing the largest number of highly cited papers (49%) (Table 2). The top 100 papers were published in 17 journals, with the top 3 journals publishing 75% of the articles (Table 3). The top journal was *Spine* with 63 papers, followed by the *Journal of Bone and Joint Surgery American Volume* with 7 papers and the *Journal of Bone and Joint Surgery British Volume* with 5 papers. The three most popular categories published were low back pain (LBP) with 23 papers, biomechanics with 16 papers, and disc degeneration with 9 papers (Table 4). Eighty-three first authors contributed to the top 100 papers. Ten authors contributed more than once, 3 of whom were credited with 4 or more publications and only one author, Deyo *et al.*, had 5 publications in the top 100 (Table 5). The top papers originated from 14 different countries, with the United States (58%) being the most prolific (Table 6). There were 61 institutions responsible for the top cited papers, with the University of Washington contributing the most papers with 6 publications in the top 100 (Table 7).

DISCUSSION

This study identifies the authors and topics that have had the most impact on the field of lumbar spine surgery during the

course of the last century and the beginning of this century. Through the identification of these classic works, we gain an insight into the history, development, and current trends in lumbar spine surgery. The findings of this study identify the papers responsible for many important developments in this field.

The most cited paper in lumbar spine surgery is the classic 1990 work by Boden *et al.*⁸ describing magnetic resonance imaging (MRI) findings in 67 individuals without back pain, sciatica, and neurogenic claudication. This seminal study showed that common indications for surgery (*e.g.*, herniated discs, spinal stenosis) can be incidentally found when scanning patients without neurological symptoms. The study also showed that as patients aged, these incidental findings increased in frequency. The study implied correctly that to recommend surgery for a patient, there should be a clear correlation of symptoms and radiographical findings and certainly should not be based on radiographical findings alone. Indications should be clear and unambiguous prior to surgery.

Similarly, the second most referenced study was a radiographical study of degenerative disc disease findings in asymptomatic individuals. In this study by Jensen *et al.*,⁹⁸ 98 asymptomatic patients underwent lumbar spine MRI, with 52% having a bulge at 1 level, 26% having a protrusion, and 1% having a disc extrusion. The paper noted an increased amount of disc bulges with aging and the relatively common finding of a Schmorl node, a herniation of nucleus pulposus through the bony and cartilaginous endplate into the vertebral body. This paper aimed to correlate LBP with disc pathology, concluding “bulges or protrusions in people with low back pain may frequently be coincidental.”

The third most cited paper was the 2000 publication of Fairbank and Pynsent¹⁰ reviewing the Oswestry Disability Index, the outcome-measure questionnaire most commonly used to evaluate LBP. The Oswestry Disability Index is a self-administered questionnaire detailing activities of daily living that takes less than 5 minutes to complete. Published originally in 1980 and since translated into many other languages, it has become an often-used tool in spine research and in evaluating standards of medical care worldwide.

The oldest paper, published in 1949, was by Nicoll,⁹⁹ which described the relationship of traumatic lumbar instability with the posterior ligament complex. This paper is

TABLE 3. Top Journals of Publication

Journal	Impact Factor*	No. of Papers
<i>Spine</i>	3.355	63
<i>The Journal of Bone and Joint Surgery, American Volume</i>	3.234	7
<i>The Journal of Bone and Joint Surgery, British Volume</i>	2.689	5
<i>Journal of the American Medical Association (JAMA)</i>	29.978	4
<i>Clinical Orthopaedics and Related Research</i>	2.787	4
<i>British Medical Journal (BMJ)</i>	17.215	3

*As of 2013.

TABLE 4. Most Popular Topics Ranked by Numbers of Papers

Category	No. of Papers
Low back pain	23
Biomechanics	16
Disc degeneration	9
Outcome measure tool	8
Fusion	7
Imaging	5
Spinal stenosis	5
Adjacent segment disease	5
Bone morphogenetic protein	5

one of the building blocks that led to the 3-column model of Denis,¹⁰⁸ frequently used to determine post-traumatic lumbar spine instability. If 2 or more of the columns (anterior, middle, and posterior) are damaged, then the spine is deemed to be “unstable.”

The most recent paper, published in 2010, was by Deyo *et al*,⁹¹ which described the trends and complications of surgery for spinal stenosis in Medicare patients from 2002 to 2007. The study demonstrated the increased rate of fusion surgical procedures for spinal stenosis during the study time span and the increased morbidity rates of fusion over simple decompression. The 100th paper on the list by Weinhoffer *et al*¹⁰⁷ was a biomechanical study revealing that intradiscal pressures increased significantly during flexion in discs above an instrumented spinal segment. The intradiscal pressure increased as the number of levels involved in the fusion increased. Because intradiscal pressure at the segment adjacent to the fusion is associated with adjacent segment disease,¹⁰⁹ this study contributed to the evolving and controversial topic of predicting and evaluating adjacent segment disease.

LBP was the most popular topic in the top 100 papers, with 23 papers dedicated to it. It is highly prevalent in society and has significant impact in health care, with a cost ranging from \$84 billion to \$625 billion annually.¹¹⁰ Of all physical and mental health conditions, it is the fourth largest productivity burden for US employers.¹¹¹ It affects up to 80% of the population. One-half of working Americans have back pain

TABLE 5. Top Authors and Topics of Publication

First Author	No. of Papers	Topic
R. A. Deyo	5	Complications, low back pain, outcome measures
S. D. Boden	4	BMP, fusion, imaging
J. Weinstein	4	Outcome measures, spinal stenosis

BMP indicates bone morphogenetic protein.

TABLE 6. Countries of Origin

Country of Origin	No. of Papers
United States	58
United Kingdom	7
Canada	6
Sweden	6
Japan	4
Australia	4
France	3
Germany	3

symptoms every year.¹¹² It is the leading cause of disability in Americans younger than 45 years and the second most common reason to see a doctor in the United States.¹¹² Effective treatment of LBP is limited by its poorly understood pathogenesis. The number of posterior fusions has increased dramatically during the past decades. In 1996, the Food and Drug Administration approved intervertebral fusion cages. At this point, the increased rate of fusion took a noticeable jump.¹¹³ From 1998 to 2008, the number of posterior fusions per year increased 3-fold.^{114,115} Three of the top 100 most cited papers revolve around the popular and controversial issue of surgical fusion *versus* conservative management for chronic LBP. The trial of Fritzell *et al*¹⁸ (14th most cited paper) suggested an advantage of fusion over nonsurgical care for degenerative discs in 2001 and is often cited in lumbar spine surgery. However, other studies in the top 100 have not shown this advantage, including the studies by Brox *et al*⁵⁴ and Fairbank *et al*,⁸⁷ and showed no clear evidence that spinal fusion was more beneficial than intensive rehabilitation using cognitive behavior principles for chronic LBP.

Three of the authors were credited with 4 or more publications. Deyo was the most prolific of all of the authors on the top 100 list. First author on 5 publications, his name appears as a contributing author on 9 of the top 100 papers. His papers focus on outcomes, quality of life, role of physical examination, surgical indications, and morbidity surrounding surgery in the lumbar spine. Boden had 4 works in the top 100 focusing on bone morphogenetic protein, spinal fusion, imaging for patients with LBP, and operative decision making for patients

TABLE 7. Top Institutions of Origin of Papers

Institution	Location	No. of Papers
University of Washington	Seattle, WA	6
Yale University	New Haven, CT	5
Emory University	Atlanta, GA	4
Dartmouth University	Hanover, NH	4
Harvard University	Cambridge, MA	3

with herniated lumbar discs. Weinstein focused on operative decision making, spinal stenosis, and trends of spinal surgery over time. Interestingly, in 2006, all 3 of the aforementioned most prolific authors contributed to 1 study, the SPORT (Spine Patient Outcomes Research Trial) study (28th most cited article). In this study that spanned 13 spine clinics in 11 states, patients with sciatica from lumbar disc herniation were divided into standard discectomy *versus* usual nonoperative care groups. The intent-to-treat analyses showed that improvements were in favor of surgery but were small and not statistically significant for the primary outcomes.

Of the top cited papers, only 4 were published before 1980. Previous studies have suggested that older papers are more likely to be cited.¹¹⁶ However, this may be misleading due to the phenomenon of “obliteration by incorporation,” the process whereby data from truly classic papers are cited less frequently as they are absorbed into the body of current knowledge.¹¹¹ In this study, the journal *Spine* produced the largest number of articles in the top 100 list. It must be noted that when evaluating contributions by various journals, those journals with bimonthly publications and those that have been in circulation for the longest time have more chance of being cited by other authors.

This study has several limitations. Although Thomson Reuters Web of Knowledge helped identify commonly cited lumbar spine surgery papers, it was difficult to determine the true “lead” author of each paper. For this reason, the first author was assumed to be the primary contributor to the work and this was used to create the ranking of authors according to the number of publications. Another limitation to this study is the problem of “incomplete citing,” which is described as the erroneous manner in which some citations are made in an effort to convince or persuade the readership of that particular journal, instead of giving credit to those who most significantly influenced the work. Using the impact factor as a marker for quality and rank of a journal is a possible limitation of our study. The impact factor is published annually by Thomson Reuters and is broadly based on the number of citations for a given journal. It is frequently used as an indicator of the importance of a journal to its field (although it should not be used as an indicator of a specific article’s significance). The strengths and weakness of the impact factor have been discussed widely in the literature. One notable weakness is the short time frame (2 yr) that is factored into its calculation, putting fields that take longer to accumulate citations at a disadvantage.¹¹⁷ Another weakness is the inclusion of non-citable items in the calculation for the impact factor, including letters, book reviews, and news items.¹¹⁸ Eugene Garfield, the man who created the impact factor, stated that although it “is not a perfect tool to measure the quality of articles ... there is nothing better ... and is, therefore, a good technique for scientific evaluation.”¹¹⁹ Another limitation is the subjective nature of choosing which papers are relevant to include in the top 100 list and which should be excluded because of irrelevance to lumbar spine surgery. Finally, because the key word “lumbar spine surgery” was searched, it is possible that important contributions were missed if they did not include

this specific word used for the database query, constituting another weakness.

CONCLUSION

To our knowledge, this study is the first to identify the 100 most cited papers in lumbar spine surgery. It provides an insight into the development and trends within this challenging subspecialty. This paper identifies those individuals whose contributions to the ever-growing body of knowledge have provided guidance and suggestions for further investigation.

➤ Key Points

- ❑ The most cited article was found to be the classic paper from 1990 by Boden *et al* that described MRI findings in individuals without back pain, sciatica, and neurogenic claudication showing that spinal stenosis and herniated discs can be incidentally found when scanning patients.
- ❑ The second most cited study similarly showed that asymptomatic patients who underwent lumbar spine MRI frequently had lumbar pathology.
- ❑ The third most cited paper was the 2000 publication of Fairbank and Pynsent¹⁰ reviewing the Oswestry Disability Index, the outcome-measure questionnaire most commonly used to evaluate LBP.
- ❑ The majority of the papers originate in the United States ($n = 58$) and most were published in *Spine* ($n = 63$).
- ❑ Most papers were published in the 1990s ($n = 49$), and the 3 most common topics were LBP, lumbar spine biomechanics, and disc degeneration.

References

1. Kelly JC, Glynn RW, O’Brian DE, et al. The 100 classic papers in orthopaedic surgery: a bibliometric analysis. *J Bone Joint Surg Br* 2010;92:1338–43.
2. Garfield E. The history and meaning of the journal impact factor. *JAMA* 2006;295:90–3.
3. Garfield E. Journal impact factor: a brief review. *CMAJ* 1999;161:979–80.
4. Garfield E. The impact factor and its rightful use. *Anaesthesist* 1998;47:439–40.
5. Fardi A, Kodonas K, Gogos C, et al. Top-cited articles in endodontic journals [published online ahead of print July 20, 2011]. *J Endod* 2011;37:1183–90. doi:10.1016/j.joen.2011.05.037.
6. Eshraghi A, Osman NA, Gholizadeh H, et al. 100 top-cited scientific papers in limb prosthetics [published online ahead of print November 17, 2013]. *Biomed Eng Online* 2013;12:119. doi:10.1186/1475-925X-12-119.
7. Lefavre KA, Shadgan B, O’Brien PJ. 100 most cited articles in orthopaedic surgery [published online ahead of print October 2010]. *Clin Orthop Relat Res* 2011;469:1487–97. doi:10.1007/s11999-010-1604-1.
8. Boden SD, Davis DO, Dina TS, et al. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. *J Bone Joint Surg Am* 1990;72:403–8.
9. Jensen MC, Brant-Zawadzki MN, et al. Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med* 1994;331:69–73.

10. Fairbank JC, Pynsent PB. The Oswestry Disability Index. *Spine* 2000;25:2940–52.
11. Deyo RA, Battie M, Beurskens AJ, et al. Outcome measures for low back pain research. A proposal for standardized use. *Spine* 1998;23:2003–13.
12. Hodges PW, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of transversus abdominis. *Spine* 1996;21:2640–50.
13. Pfirrmann CW, Metzdorf A, Zanetti M, et al. Magnetic resonance classification of lumbar intervertebral disc degeneration. *Spine* 2001;26:1873–8.
14. Modic MT, Steinberg PM, Ross JS, et al. Degenerative disk disease: assessment of changes in vertebral body marrow with MR imaging. *Radiology* 1988;166:193–9.
15. Roland M, Fairbank J. The Roland-Morris Disability Questionnaire and the Oswestry Disability Questionnaire. *Spine* 2000;25:3115–24.
16. Wilke HJ, Neef P, Caimi M, et al. New *in vivo* measurements of pressures in the intervertebral disc in daily life. *Spine* 1999;24:755–62.
17. Cholesicki J, McGill SM. Mechanical stability of the *in vivo* lumbar spine: implications for injury and chronic low back pain. *Clin Biomech* 1996;11:1–15.
18. Fritzell P, Hagg O, Wessberg P, et al. 2001 Volvo Award Winner in Clinical Studies. Lumbar fusion *versus* nonsurgical treatment for chronic low back pain: a multicenter randomized controlled trial from the Swedish Lumbar Spine Study Group. *Spine* 2001;26:2521–32.
19. Patrick DL, Deyo RA, Atlas SJ, et al. Assessing health-related quality of life in patients with sciatica. *Spine* 1995;20:1899–908.
20. Thompson JP, Pearce RH, Schechter MT, et al. Preliminary evaluation of a scheme for grading the gross morphology of the human intervertebral disc. *Spine* 1990;15:411–5.
21. O'Sullivan PB, Phytz GD, Twomey LT, et al. Evaluation of specific stabilizing exercise in the treatment of chronic low back pain with radiologic diagnosis of spondylosis or spondylolisthesis. *Spine* 1997;22:2959–67.
22. Deyo RA, Rainville J, Kent DL. What can the history and physical examination tell us about low back pain? *JAMA* 1992;268:760–5.
23. Wiesel SW, Tsourmas N, Feffer HL, et al. A study of computer-assisted tomography, part I: the incidence of positive CAT scans in an asymptomatic group of patients. *Spine* 1984;9:549–51.
24. Summers BN, Eisenstein SM. Donor site pain from the ilium. A complication of lumbar spine fusion. *J Bone Joint Surg Br* 1989;71:677–80.
25. Hides JA, Richardson CA, Jull GA. Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. *Spine* 1996;21:2763–9.
26. Boden SD, Zdeblick TA, Sandhu HS, et al. The use of rhBMP-2 in interbody fusion cages. Definitive evidence of osteoinduction in humans: a preliminary report. *Spine* 2000;25:376–81.
27. Marras WS, Lavender SA, Leurgans SE, et al. The role of dynamic three-dimensional trunk motion in occupationally-related low back disorders. The effects of workplace factors, trunk position, and trunk motion characteristics on risk of injury. *Spine* 1993;18:617–28.
28. Turner JA, Ersek M, Herron L, et al. Surgery for lumbar spinal stenosis: attempted meta-analysis of the literature. *Spine* 1992;17:1–8.
29. Esses SI, Sachs BL, Dreyzin V. Complications associated with the technique of pedicle screw fixation. A selected survey of ABS members. *Spine (Phila Pa 1976)* 1993;18:2231–8.
30. Park P, Garton HJ, Gala VC, et al. Adjacent segment disease after lumbar or lumbosacral fusion: review of the literature. *Spine* 2004;29:1938–44.
31. Boden SD, Kang J, Sandhu H, et al. Use of recombinant human bone morphogenetic protein-2 to achieve posterolateral lumbar spine fusion in humans: a prospective, randomized clinical pilot trial 2002 Volvo Award in clinical studies. *Spine* 2002;27:2662–73.
32. Weinstein JN, Tosteson TD, Lurie JD, et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT): a randomized trial. *JAMA* 2006;296:2441–50.
33. Belkoff SM, Mathis JM, Jasper LE, et al. The biomechanics of vertebroplasty. The effect of cement volume on mechanical behavior. *Spine (Phila Pa 1976)* 2001;26:1537–41.
34. Jackson RP, McManus AC. Radiographic analysis of sagittal plane alignment and balance in standing volunteers and patients with low back pain matched for age, sex, and size. A prospective controlled clinical study. *Spine (Phila Pa 1976)* 1994;19:1611–8.
35. Kuslich SD, Ulstrom CL, Michael CJ. The tissue origin of low back pain and sciatica: a report of pain response to tissue stimulation during operations on the lumbar spine using local anesthesia. *Orthop Clin North Am* 1991;22:181–7.
36. Kelsey JL, White AA. Epidemiology and impact of low back pain. *Spine* 1980;5:133–42.
37. Takahashi H, Suguro T, Okazima Y, et al. Inflammatory cytokines in the herniated disc of the lumbar spine. *Spine (Phila Pa 1976)* 1996;21:218–24.
38. Ray CD. Threaded titanium cages for lumbar interbody fusions. *Spine (Phila Pa 1976)* 1997;22:667–79; discussion 679–80.
39. Kuslich SD, Ulstrom CL, Griffith SL, et al. The Bagby and Kuslich method of lumbar interbody fusion. History, techniques, and 2-year follow-up results of a United States prospective multicenter trial. *Spine (Phila Pa 1976)* 1998;23:1267–79.
40. Luoma K, Riihimaki H, Luukkonen R, et al. Low back pain in relation to lumbar disc degeneration. *Spine (Phila Pa 1976)* 2000;25:487–92. doi:10.1097/00007632-200002150-00016.
41. McCormack T, Karaikovic E, Gaines R. The load sharing classification of spine fractures. *Spine* 1994;19:1741–4.
42. Aprill C, Bogduk N. High-intensity zone: a diagnostic sign of painful lumbar disc on magnetic resonance imaging. *Br J Radiol* 1992;65:361–9.
43. Lehmann TR, Spratt KF, Tozzi JE, et al. Long-term follow-up of lower lumbar fusion patients. *Spine* 1987;12:97–104.
44. Battie MC, Videman T, Gibbons LE, et al. Determinants of lumbar disc degeneration: a study relating lifetime exposures and magnetic resonance imaging findings in identical twins. *Spine* 1995;20:2601–12.
45. Cholewicki J, Panjabi MM, Khachatryan A. Stabilizing function of trunk flexor-extensor muscles around a neutral spine posture. *Spine* 1997;22:2207–12.
46. Deyo RA, Cherkin DC, Loeser JD, et al. Morbidity and mortality in association with operations on the lumbar spine. The influence of age, diagnosis, and procedure. *J Bone Joint Surg* 1992;74:536–43.
47. Osti OL, Vernon-Roberts B, Fraser RD. 1990 Volvo Award in experimental studies. Anulus tears and intervertebral disc degeneration. An experimental study using an animal model. *Spine (Phila Pa 1976)* 1990;15:762–7.
48. Gatchel RJ, Polatin PB, Mayer TG. The dominant role of psychosocial risk factors in the development of chronic low back pain disability. *Spine (Phila Pa 1976)* 1995;20:2702–9.
49. Adams MA, McNally DS, Dolan P. 'Stress' distributions inside intervertebral discs: the effects of age and degeneration. *J Bone Joint Surg Br* 1996;78:965–72.
50. Burke JG, Watson RW, McCormack D, et al. Intervertebral discs which cause low back pain secrete high levels of proinflammatory mediators. *J Bone Joint Surg Br* 2002;84:196–201.
51. Roy-Camille R, Saillant G, Mazel C. Internal fixation of the lumbar spine with pedicle screw plating. *Clin Orthop Relat Res* 1986;203:7–17.
52. Faciszewski T, Winter RB, Lonstein JE, et al. The surgical and medical perioperative complications of anterior spinal fusion surgery in the thoracic and lumbar spine in adults: a review of 1223 procedures. *Spine (Phila Pa 1976)* 1995;20:1592–9.
53. Zindrick MR, Wiltse LL, Widell EH, et al. A biomechanical study of interpeduncular screw fixation in the lumbosacral spine. *Clin Orthop* 1986;203:99–112.
54. Brox JI, Sorensen R, Friis A, et al. Randomized clinical trial of lumbar instrumented fusion and cognitive intervention and exercises in patients with chronic low back pain and disc degeneration. *Spine (Phila Pa 1976)* 2003;28:1913–21. doi:10.1097/01.brs.0000083234.62751.7a.
55. Ghiselli J, Wang JC, Bhatia NT, et al. Adjacent segment degeneration in the lumbar spine. *J Bone Joint Surg Am* 2004;86:1497–503.

56. Miller J, Schmatz C, Schultz A. Lumbar disc degeneration: correlation with age, sex, and spine level in 600 autopsy specimens. *Spine* 1988;13:173-8.
57. Prolo DJ, Oklund SA, Butcher M. A paradigm applied to posterior lumbar interbody fusions. *Spine (Phila Pa 1976)* 1986;11:601-6.
58. Blumenthal S, McAfee PC, Guyer RD, et al. A prospective, randomized, multicenter Food and Drug Administration investigational device exemptions study of lumbar total disc replacement with the CHARITE artificial disc versus lumbar fusion, part I: evaluation of clinical outcomes. *Spine (Phila Pa 1976)* 2005;30:1565-75.
59. Rydevik B, Brown MD, Lundborg G. Pathoanatomy and pathophysiology of nerve root compression. *Spine* 1984;9:7-15.
60. Weinstein JN, Lurie JD, Tosteson TD, et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT) observational cohort. *JAMA* 2006;296:2451-9.
61. Coste J, Delecoeuillierie G, Cohen de Lara A, et al. Clinical course and prognostic factors of acute low-back pain: an inception cohort study in primary care practice. *BMJ* 1994;308:577-80.
62. Lee CK, Langrana NA. Lumbosacral spinal fusion. A biomechanical study. *Spine (Phila Pa 1976)* 1984;9:574-81.
63. Weinstein JN, Tosteson TD, Lurie JD, et al. Surgical versus nonsurgical therapy for lumbar spinal stenosis. *N Engl J Med* 2008;358:794-810.
64. Deyo RA, Cherkin D, Conrad D, et al. Cost, controversy, crisis: low back pain and the health of the public. *Annu Rev Public Health* 1991;12:141-56.
65. Nachemson AL. Newest knowledge of low back pain. A critical look. *Clin Orthop Relat Res* 1992;8-20.
66. Freburger JK, Holmes GM, Agans RP, et al. The rising prevalence of chronic low back pain. *Arch Intern Med* 2009;169:251-8.
67. Fritzell P, Hägg O, Wessberg P, et al. Swedish Lumbar Spine Study Group. Chronic low back pain and fusion: a comparison of three surgical techniques: a prospective multicenter randomized study from the Swedish Lumbar Spine Study Group. *Spine* 2002;27:1131-41.
68. Bergmark A. Stability of the lumbar spine. A study in mechanical engineering. *Acta Orthop Scand Suppl* 1989;230:1-54.
69. Schimandle JH, Boden SD, Hutton WC. Experimental spinal fusion with recombinant human bone morphogenetic protein-2. *Spine* 1995;20:1326-37.
70. Carragee EJ, Hurwitz EL, Weiner BK. A critical review of recombinant human bone morphogenetic protein-2 trials in spinal surgery: emerging safety concerns and lessons learned. *Spine J* 2011;11:471-91.
71. Schlegel JD, Smith JA, Schleusener RL. Lumbar motion segment pathology adjacent to thoracolumbar, lumbar, and lumbosacral fusions. *Spine (Phila Pa 1976)* 1996;21:970-81.
72. Schultz A, Andersson G, Ortengren R, et al. Loads on the lumbar spine. Validation of a biomechanical analysis by measurement of intradiscal pressures and myoelectric signals. *J Bone Joint Surg* 1982;64:713-20.
73. Daltroy LH, Cats-Baril WL, Katz JN, et al. The North American Spine Society outcome assessment instrument: reliability and validity tests. *Spine* 1996;15:741-9. doi:10.1097/00007632-199603150-00017.
74. Kumar MN, Baklanov A, Chopin D. Correlation between sagittal plane changes and adjacent segment degeneration following lumbar spine fusion. *Eur Spine J* 2001;10:314-9.
75. Hirsch C, Ingelmark BE, Miller M. The anatomical basis for low back pain. Studies on the presence of sensory nerve endings in ligamentous, capsular and intervertebral disc structures in the human lumbar spine. *Acta Orthop Scand* 1963;33:1-17.
76. Wilke HJ, Wolf S, Claes LE, et al. Stability increase of the lumbar spine with different muscle groups: a biomechanical *in vitro* study. *Spine* 1995;20:192-8.
77. Boden SD, Schimandle JH, Hutton WC. Radiographic, histologic, and biomechanical healing characteristics. An experimental lumbar intertransverse process spinal fusion model. *Spine (Phila Pa 1976)* 1995;20:412-20.
78. Burkus JK, Transfeldt EE, Kitchel SH, et al. Clinical and radiographic outcomes of anterior lumbar interbody fusion using recombinant human bone morphogenetic protein-2. *Spine* 2002;27:2396-408. doi:10.1097/00007632-200211010-00015.
79. Panjabi MM, Oxland TR, Yamamoto I, et al. Mechanical behavior of the human lumbar and lumbosacral spine as shown by three-dimensional load-displacement curves. *J Bone Joint Surg A* 1994;76:413-24.
80. Weinstein J, Lurie J, Olson P, et al. United States' trends and regional variations in lumbar spine surgery; 1992-2003. *Spine* 2006;31:2707-14.
81. Shirazi-Adl SA, Shrivastava SC, Ahmed AM. Stress analysis of the lumbar disc-body unit in compression: a three-dimensional nonlinear finite element study. *Spine* 1984;9:120-34.
82. Kirkaldy-Willis WH, Farfan HF. Instability of the lumbar spine. *Clin Orthop Relat Res* 1982;1:110-23.
83. Weishaupt D, Zanetti M, Hodler J, et al. MR imaging of the lumbar spine: prevalence of intervertebral disk extrusion and sequestration, nerve root compression, end plate abnormalities, and osteoarthritis of the facet joints in asymptomatic volunteers. *Radiology* 1998;15:661-6.
84. Saal JA, Saal JS, Herzog RJ. The natural history of lumbar intervertebral disc extrusions treated nonoperatively. *Spine (Phila Pa 1976)* 1990;15:683-6.
85. Panjabi MM, Goel V, Oxland T, et al. Human lumbar vertebrae. Quantitative three-dimensional anatomy. *Spine (Phila Pa 1976)* 1992;17:299-306.
86. Radebold A, Cholewicki J, Polzhofer G, et al. Impaired postural control of the lumbar spine is associated with delayed muscle response times in patients with chronic idiopathic low back pain. *Spine* 2001;26:724-30.
87. Fairbank J, Frost H, Wilson-MacDonald J, et al. Randomised controlled trial to compare surgical stabilisation of the lumbar spine with an intensive rehabilitation programme for patients with chronic low back pain: the MRC spine stabilisation trial. *BMJ* 2005;330:1233. doi:10.1136/bmj.38441.620417.8F.
88. Riew KD, Yin Y, Gilula L, et al. The effect of nerve-root injections on the need for operative treatment of lumbar radicular pain. A prospective, randomized, controlled, double-blind study. *J Bone Joint Surg Am* 2000;82-A:1589-93.
89. Katz JN, Lipson SJ, Chang LC, et al. Seven- to 10-year outcome of decompressive surgery for degenerative lumbar spinal stenosis. *Spine* 1996;21:92-8.
90. Schultz AB, Andersson GB. Analysis of loads on the lumbar spine. *Spine* 1981;6:76-82.
91. Deyo RA, Mirza S, Martin B, et al. Trends, major medical complications, and charges associate with surgery for lumbar spinal stenosis in older adults. *JAMA* 2010;22:1259-65. doi:10.1001/jama.2010.338.
92. van Tulder MW, Assendelft WJJ, Koes BW, et al. Spinal radiographic findings and nonspecific low back pain: a systematic review of observational studies. *Spine* 1997;22:427-34.
93. Yamamoto I, Panjabi MM, Crisco T, et al. Three-dimensional movements of the whole lumbar spine and lumbosacral joint. *Spine (Phila Pa 1976)* 1989;14:1256-60.
94. Dunlop RB, Adams MA, Hutton WC. Disc space narrowing and the lumbar facet joints. *J Bone Joint Surg Br* 1984;66:706-10.
95. Hicks GE, Fritz JM, Delitto A, et al. Preliminary development of a clinical prediction rule for determining which patients with low back pain will respond to a stabilization exercise program. *Arch Phys Med Rehabil* 2005;22:1753-62.
96. Atlas S, Deyo R, Keller REA. The Maine lumbar Spine Study, part II: 1-year outcomes of surgical and nonsurgical management of sciatica. *Spine* 1996;21:1777-86.
97. Brantigan JW, Steffee AD, Lewis ML, et al. Lumbar interbody fusion using the Brantigan IF cage for posterior lumbar interbody fusion and the variable pedicle screw placement system: two-year results from a Food and Drug Administration investigational device exemption clinical trial. *Spine (Phila Pa 1976)* 2000;25:1437-46.
98. Kirkaldy-Willis WH, Wedge JH, Yong-Hing K, et al. Pathology and pathogenesis of lumbar spondylosis and stenosis. *Spine (Phila Pa 1976)* 1978;3:319-28.

99. Nicoll E A. Fractures of the dorso-lumbar spine. *J Bone Joint Surg Br* 1949;31B:376–94.
100. Abumi K, Panjabi MM, Kramer KM, et al. Biomechanical evaluation of lumbar spinal stability after graded facetectomies. *Spine* 1990;15:1142–7.
101. Koes B, van Tulder M, Thomas S. Diagnosis and treatment of low back pain. *BMJ* 2006;15:1430–4. doi:10.1136/bmj.332.7555.1430.
102. Taimela S, Kujala U, Salminen J. The prevalence of low back pain among children and adolescents: a nationwide, cohort-based questionnaire survey in Finland among children and adolescents: a nationwide, cohort-based questionnaire survey in Finland. *Spine (Phila Pa 1976)* 1997;7:1132–6. doi:10.1097/00007632-199705150-00013.
103. Stauffer RN, Coventry MB. Anterior interbody lumbar spine fusion. Analysis of Mayo Clinic series. *J Bone Joint Surg Am* 1972;54:756–68.
104. Castro WH, Halm H, Jerosch J, et al. Accuracy of pedicle screw placement in lumbar vertebrae. *Spine (Phila Pa 1976)* 1996;21:1320–4.
105. Etebar S, Cahill DW. Risk factors for adjacent-segment failure following lumbar fixation with rigid instrumentation for degenerative instability. *J Neurosurg* 1999;90:163–9.
106. Sato K, Kikuchi S, Yonezawa T. *In vivo* intradiscal pressure measurement in healthy individuals and in patients with ongoing back problems. *Spine* 1999;24:2468–74.
107. Weinhoffer SL, Guyer RD, Herbert M, et al. Intradiscal pressure measurements above an instrumented fusion. A cadaveric study. *Spine (Phila Pa 1976)* 1995;20:526–31.
108. Denis F. The three-column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine (Phila Pa 1976)* 1983;8:817–31.
109. Dmitriev AE, Cunningham BW, Hu N, et al. Adjacent level intradiscal pressure and segmental kinematics following a cervical total disc arthroplasty: an *in vitro* human cadaveric model. *Spine (Phila Pa 1976)* 2005;30:1165–72.
110. Loonen MP, Hage JJ, Kon M. Plastic surgery classics: characteristics of 50 top-cited articles in four plastic surgery journals since 1946. *Plast Reconstr Surg* 2008;121:320e–7e.
111. Vavrek DA, Sharma R, Haas M. Cost analysis related to dose response of spinal manipulative therapy for chronic low back pain: outcomes from a randomized controlled trial. *J Manipulative Physiol Ther* 2014;37:300–11. doi:10.1016/j.jmpt.2014.03.002.
112. Vallfors B. Acute, subacute and chronic low back pain: clinical symptoms, absenteeism and working environment. *Scan J Rehab Med Suppl* 1985;11:1–98.
113. Ciol M, Deyo RA, Kreuter W, et al. Characteristics in Medicare beneficiaries associated with reoperation after lumbar spine surgery. *Spine* 1994;19:1329–34.
114. Deyo RA, Gray DT, Kreuter W, et al. United States trends in lumbar fusion surgery for degenerative conditions. *Spine (Phila Pa 1976)* 2005;30:1441–5.
115. Pumberger M, Chiu YL, Ma Y, et al. National in-hospital morbidity and mortality trends after lumbar fusion surgery between 1998 and 2008. *J Bone Joint Surg Br* 2012;94:359–64.
116. Garfield E. 100 citation classics from the *Journal of the American Medical Association*. *JAMA* 1987;257:52–9.
117. Gonzalez L, Cam Campanario JM. Structure of the impact factor of journals included in the social sciences citation index: citations from documents labeled “editorial material”. *J Am Soc Inf Sci Technol* 2007;58:252–62.
118. Rossner M, Van Epps H, Hill E. Show me the data. *J Cell Biol* 2007;179:1091–2.
119. Hoeffel C. Journal impact factors [letter]. *Allergy* 1998;53:1225.